INDEX TO AUTHORS.

ALLISON, V. D., observations on the value of a copper sulphate tellurite medium for the isolation of diphtheria bacilli, 244

ANDREWES, C. H., immunity to the salivary virus of guinea-pigs studied in the living animal, and in tissue-culture, 23

BEDSON, S. P., and WESTERN, G. T., observations on the virus of psittacosis, 502

BERENBLUM, I., further investigations on the induction of tumours with carbon dioxide snow, 208

BRENNER, O., see *Donovan, H.*

BROOM, J. C., and BROWN, H. C., further observations upon electric charge in its relation to hæmolysis and phagocytosis, 305

BROWN, H. C., see *Broom, J. C.*

CALDWELL, W. A., the immunity reactions against cultivated *Spironema pallidum* of general paralytics treated by induced malaria, 1

CLEARKIN, P. A., changes in the central nervous system of monkeys (*Cercopithecus albigularis*) following the intradermal administration of vaccine lymph, 329

DAU, H., see *Pijper, A.*

DAY, H. B., the preparation of antigenic specific substance from streptococci and pneumococci (type I), 164

DONOVAN, H., and BRENNER, O., the influence of the intravenous injection of urea on the exchange of substances between the blood and tissues, 419

DOUGLAS, S. R., and SMITH, W., a study of vaccinal immunity in rabbits by means of *in vitro* methods, 96

DUKE-ELDER, W. S., the intraocular pressure and the drainage of the aqueous humour, 438

EAGLES, G. H., and MCCLEAN, D., further studies on the cultivation of vaccinia virus, 337

EIDINOW, A., the effect of irradiation on cobra venom and antivenin, 65

FAIRBROTHER, R. W., immunization of the horse with the virus of poliomyelitis and the production of an antiviral serum, 43; see *Morgan, W. T. J.*

——— and MORGAN, W. T. J., further observations on the immunization of the horse with poliomyelitis virus, 298

FELIX, A., see *Robertson, M.*

FINDLAY, G. M., the electrical charge of the virus of fowl-pox and the agent of the Rous sarcoma, 190; see *Hindle, E.*

FINKELSTEIN, M. H., the hæmolytic properties of cholera, paracholera and allied vibrios, with special reference to their effect on blood media, 54

FLEMING, A., and MACLEAN, I. H., on the occurrence of influenza bacilli in the throats of normal people, 127

FLOREY, H., the relative amounts of lysozyme present in the tissues of some mammals, 251; the secretion of mucus by the colon, 348; see *Goldsworthy, N. E.*

FOWWEATHER, F. S., the iodine content of the blood of patients suffering from cancer, 400

——— and POLSON, C. J., iron storage in splenectomized rabbits, 362

FRASER, F. H., and PLUMMER, H., the titration of scarlatinal antitoxin by means of a skin test in chinchilla rabbits, 291

GOLDSWORTHY, N. E., and FLOREY, H., some properties of mucus, with special reference to its antibacterial functions, 192

GORDON, J., and MARSHALL, P. G., a study of the phorphorus distribution in bacterial cultures, 173

GRAHAM, S., see *Morris, N.*

GREEN, H. N., and MELLANBY, E., carotene and vitamin A: the anti-infective action of carotene, 81

GREENWOOD, M., see *Hill, L.*

GRIFFITHS, W. J., and KAYE, G., a study of the blood pigment in obstructive jaundice, with observations on the Van den Bergh reaction, 441

GYE, W. E., and PURDEY, W. J., Rous sarcoma No. 1; Influence of mode of extraction on the potency of filtrates, 211; Rous sarcoma No. 1: Loss of filtrate activity at incubator temperature; protection by means of hydrocyanic acid, 282

HILL, L., GREENWOOD, M., and TOPLEY, W. W. C., on the effect of ultra-violet irradiation upon the resistance of mice exposed to Pasteurella infection, 182

HINDLE, E., and FINDLAY, G. M., the electrical charge of yellow fever virus, 134

HUNTER, G., on the determination of bilirubin by the diazo-reagents, 407; on the two types of bilirubin diazo-reaction in serum, with a hypothesis on the nature of the bilirubin in the serum from hæmolytic jaundice, 415

JENKINS, C. E., a flicker hæmoglobinometer, 261

KAY, H. D., blood phopshorus in health and disease: V. Note on the chemical composition of the reticulocyte, 148
KAYE, G., see *Griffiths, W. J.*
KELLAWAY, C. H., the anaphylactic reaction of the isolated uterus of the rat, 72
KERRIN, J. C., studies on the hæmolysin produced by atoxic strains of *B. tetani*, 153
KLIGLER, I. J., immunization of chickens against fowl-pox with dead, formolized and phenolized virus, 10

LAING, A. W., see *Maitland, H. B.*
LAWRENCE, R. D., the effect of ergotamine on carbohydrate metabolism and on the stomach, 145
——— MADDERS, K., and MILLAR, H. R., the excretion of insulin in urine, 117
LEPPER, E., and MARTIN, C. J., the oxidation-reduction potential of cooked meat media, 137; the oxidation reduction potential of cooked meat media following the inoculation of bacteria, 140
DES LIGNERIS, M. J. A., the use of heparin plasma for the grafting of spontaneous mammalian tumours into homologous animals, 249

MCCLEAN, D., see *Eagles, G. H.*
MACLEAN, I. H., see *Fleming, A.*
MADDERS, K., see *Lawrence, R. D.*
MAITLAND, H. B., and LAING, A. W., experiments on the cultivation of vaccinia virus, 119
MARRACK, J., see *Smith, F. C.*
MARSHALL, P. G., see *Gordon, J.*
MARTIN, C. J., see *Lepper, E.*
MELLANBY, E., see *Green, H. N.*, and *Watson, A. F.*
MILLAR, H. R., see *Lawrence, R. D.*
MORGAN, W. T. J., see *Fairbrother, R. W.*
——— and FAIRBROTHER, R. W., the concentration of the protective substance in poliomyelitis serum, 512
MORRIS, N., and GRAHAM, S., the theoretical carbon dioxide dissociation curve in acid-base disturbance of childhood, 322
MULLER, G. L., see *Vaughan, J. M.*

NANAVUTTY, S. H., the favourable influence of gelatine in the medium on the activity of a staphylococcus bacteriophage, 5; the *rôle* of oxygen in bacteriophagy, 7
NICHOLLS, L., melioidosis, with special reference to the dissociation of *Bacillus whitmori*, 393

PIJPER, A., and DAU, H., typhoid agglutination after oral immunization, 112; transmissibility of tick-bite fever virus to guinea-pigs, 287
PLUMMER, H., see *Fraser, F. H.*
POLSON, C. J., see *Fowweather, F. S.*
PURDEY, W. J., see *Gye, W. E.*

RIDLEY, F., the intraocular pressure and drainage of the aqueous humour, 217
ROBERTS, W. M., variations in the phosphatase activity of the blood in disease, 90
ROBERTSON, M., and FELIX, A., serological studies in the group of the spore-bearing anaërobes. II. *In vivo* experiments with an "O" immune serum to *Vibrion septique* devoid of antitoxin content, 14
RUDD, G. V., observations on the acidity and chloride content of the gastric juice, 240

SCHÜTZE, H., the importance of somatic antigen in the production of Aertrycke and Gärtner immunity in mice, 34
——— and ZILVA, S. S., tuberculin sensitivity in rats, 489
SMITH, F. C., and MARRACK, J., a method for the kataphoresis of biological materials, 492; diphtheria toxin-antitoxin floccules, 494
SMITH, W., see *Douglas, S. R.*

TIMMERMAN, W. A., normal flocculating H- and granulating O-agglutinins for *Bacillus typhosus* in sera of different species, 447
TODD, E. W., virulence of hæmolytic streptococci. I. The influence of oxygen on the production of glossy variants, 368. II. The influence of oxygen on the maintenance of virulence in broth cultures, 469. III. The influence of oxygen on the restoration of virulence to matt attenuated cultures, 480
TOPLEY, W. W. C., see *Hill, L.*

VAUGHAN, J. M., MULLER, G. L., and ZETZEL, L., the response of grain-fed pigeons to substances effective in pernicious anæmia, 456

WATSON, A. F., and MELLANBY, E., tar cancer in mice. I. The technique of the comparative experiment, 267. II. The condition of the skin when modified by external treatment or diet, as a factor in influencing the cancerous reaction, 311
WESTERN, G. T., see *Bedson, S. P.*
WILSON, G. S., the growth of *Br. abortus* in sealed tubes, 157

ZETZEL, L., see *Vaughan, J. M.*
ZILVA, S. S., see *Schütze, H.*